



**SADHU IMPLEMENTS<sup>®</sup>**  
— Transforming Indian Agricultural —

**PRODUCT CATALOGUE**



**SADHU SINGH KRISHI UDHYOG**

TRANSFORMING INDIAN AGRICULTURAL

AN ISO 9001:2015 CERTIFIED COMPANY

Approved By Govt Of India

[www.sadhuimplements.com](http://www.sadhuimplements.com)



**SADHU IMPLEMENTS**<sup>®</sup>  
— Transforming Indian Agricultural —

## GLOBAL COVERAGE

- ✓ AFRICA
- ✓ RUSSIA
- ✓ NEPAL
- ✓ MAURITIUS
- ✓ ISRAEL
- ✓ AUSTRALIA
- ✓ USA
- ✓ CANADA



## INDIA COVERAGE

- ✓ PUNJAB
  - ✓ RAJASTHAN
  - ✓ HARYANA
  - ✓ UTTAR PRADESH
  - ✓ MADHYA PRADESH
  - ✓ MAHARASHTRA
  - ✓ KARNATAKA
  - ✓ ANDHRA PRADESH
  - ✓ BIHAR
  - ✓ TAMILNADU
  - ✓ UTTARAKHAND
  - ✓ CHATTISGARH
  - ✓ TELANGANA
- ✓ All India home Delivery Services





**SADHU IMPLEMENTS**<sup>®</sup>  
— Transforming Indian Agricultural —

**1966**

FOUNDER OF BUSINESS



**1966**

FOUNDER OF BUSINESS

**LATE SADHU SINGH INSAN**

## INTRODUCE

We Are **SADHU IMPLEMENTS**. Leading Manufacturer Of Agriculture Equipment's Since 1966. The Company Is Situated In North Part Of India In RAJASTHAN.

**SADHU IMPLEMENTS** Is A Young Company, Young Directors With Adequate Industry Experience In Design, Development & Customer Service In Domestic As Well Export Market.

Company Has Good Reputation In Agriculture Industry.

Under The Brand Name **SADHU IMPLEMENTS** Our Diverse Range Of Product Is Cultivator, Duck Foot Plough, Subsoiler , Disc Harrow , Mb Plough , Disc Ridger , Leveler , Watt Maker Etc.

Company's Manufacturing Facility Includes Heavy Machines , Light Machine , Plasma Machines, CNC And VMC Machines.

Having Business With Best Dealers And Distributors All Over India As Well In Export Market. We Have Different Product For Different Region.




**SADHU IMPLEMENTS**<sup>®</sup>  
— Transforming Indian Agricultural —

## **PRODUCTS**

### **CONTENTS**

- ✔ **CULTIVATOR**
- ✔ **DUCK FOOT PLOUGH**
- ✔ **M B PLOUGH**
- ✔ **DISC PLOUGH**
- ✔ **DISC HARROW**
- ✔ **SUBSOILER**
- ✔ **LAND LEVELER**
- ✔ **DISC RIDGER**
- ✔ **BAND FARMER**  
SHEET WATT MAKER



## **BASIC** MODEL

It Designed For Light And Medium Soils. Main Frame Is Made Out Of Angle L Type.



### NO. OF TYNES

9

11

13

TYNE SIZE

58X20 MM

58X20 MM

58X20 MM

65X25 MM

65X25 MM

65X25 MM

WEIGHT

225 KG

260KG

310KG

280 KG

325 KG

380 KG

TRACTOR HP

MEDIUM SOIL

35 HP

45 HP

50 HP

HARD SOIL

42 HP

50 HP

55 HP

MAIN FRAMME

L TYPE ANGLE

L TYPE ANGLE

L TYPE ANGLE

75X8 MM

75X8 MM

75X8 MM

75X10 MM

75X10 MM

75X10 MM



**SADHU IMPLEMENTS**<sup>®</sup>  
— Transforming Indian Agricultural —

## **BEAM** MODEL

It Is Designed For Medium Soils.  
Mainframe Is Made Out Of Tube Section Sq. Box Type



NO. OF TYNES	9	11	13	15
TYNE SIZE				
Medium	58X20 MM	58X20 MM	58X20 MM	58X20 MM
heavy	65X25 MM	65X25 MM	65X25 MM	65X25 MM
WEIGHT	240 KG	280 KG	325KG	380KG
	285 KG	330 KG	390 KG	450 KG
TRACTOR HP				
MEDIUM SOIL	35 HP	45 HP	50 HP	60 HP
HARD SOIL	42 HP	50 HP	55 HP	65 HP
MAIN FRAMME	72X72MM	72X72MM	72X72MM	72X72MM
	Sq.Box (3 inch)	Sq.Box (3 inch)	Sq.Box (3 inch)	Sq.Box (3 inch)



## **PATTI** MODEL

It Is Patti Model. Main Tyne Attach Wid Single Stick So Wet Do Not Stuck On It



### **NO. OF TYNES**

**9**

**11**

**13**

TYNE SIZE

58X20 MM

58X20 MM

58X20 MM

WEIGHT

215 KG

265 KG

325 KG

TRACTOR HP

MEDIUM SOIL

HARD SOIL

35 HP

42 HP

45 HP

50 HP

50 HP

55 HP

FRAMME

65x65 MM

65x65 MM

75X75MM

Sq.Box (2.4 inch)

Sq.Box (2.4 inch)

Sq.Box (3 inch)

## SEMI DELUXE MODEL

It Designed For Light And Medium Soils. Main Frame Is Made Out Of Angle L Type.  
Main Hitch Modify With Cnc Cutting



### NO. OF TYNES

9

11

13

TYNE SIZE

58X20 MM

58X20 MM

58X20 MM

65X25 MM

65X25 MM

65X25 MM

WEIGHT

240 KG

275KG

335KG

295 KG

345 KG

400 KG

TRACTOR HP

MEDIUM SOIL

35 HP

45 HP

50 HP

HARD SOIL

42 HP

50 HP

55 HP

MAIN FRAMME

L TYPE ANGLE

L TYPE ANGLE

L TYPE ANGLE

75X8 MM

75X8 MM

75X8 MM

75X10 MM

75X10 MM

75X10 MM



## **DELUXE** MODEL

It Is Designed For Hard And Medium Soils.

Mainframe Is Made Out Of Tube Section Sq.Box Type. Main Hitch Modify With Cnc Cutting



### NO. OF TYNES

9

11

13

15

TYNE SIZE

Medium

58X20 MM

58X20 MM

58X20 MM

Center Pipe

58X20 MM

heavy

65X25 MM

65X25 MM

65X25 MM

65X25 MM

WEIGHT

255 KG

295 KG

340KG

430KG

300 KG

350 KG

400KG

470KG

TRACTOR HP

MEDIUM SOIL

35 HP

45 HP

50 HP

60 HP

HARD SOIL

42 HP

50 HP

55 HP

65 HP

MAIN FRAMME

72X72MM

72X72MM

72X72MM

72X72MM

Sq.Box (3 inch)

Sq.Box (3 inch)

Sq.Box (3 inch)

Sq.Box (3 inch)

## **SUPER** DELUXE MODEL

It Is Designed For Hard Black Soils. Mainframe Is Made Out Of Tube Section Sq.box Type.  
 Main Hitch Modify With CNC Cutting . Center Pipe Give Strength To Main Frame



NO. OF TYNES	9	11	13	15
TYNE SIZE				Center Pipe
Medium	58X20 MM	58X20 MM	58X20 MM	58X20 MM
heavy	65X25 MM	65X25 MM	65X25 MM	65X25 MM
WEIGHT	280 KG	315-20KG	355-60KG	420KG
	325 KG	370-75 KG	420-25KG	490KG
TRACTOR HP				
MEDIUM SOIL	35 HP	45 HP	50 HP	60 HP
HARD SOIL	42 HP	50 HP	55 HP	65 HP
MAIN FRAMME	72X72MM	72X72MM	72X72MM	72X72MM
	Sq.Box (3 inch)	Sq.Box (3 inch)	Sq.Box (3 inch)	Sq.Box (3 inch)



## **HYDRAULIC**

### FOLDABLE CULTIVATOR WID TYRE

It heavy duty cultivator for(4x4) tractor .  
It has hydraulic system for folding the side tynes



NO. OF TYNES	17	19	21	23
TYNE SIZE	58X20 MM	58X20 MM	58X20 MM	58X20 MM
	65X25 MM	65X25 MM	65X25 MM	65X25 MM
WEIGHT	700KG	780 KG	825 KG	910 KG
	785KG	870KG	925KG	1030KG
TRACTOR HP	65 HP	75 HP	80 HP	85 HP
	(4X4)	(4X4)	(4X4)	(4X4)
MAIN FRAMME	80x80 MM	80x80 MM	90x90 MM	100x100 MM
	Sq.Box (3.2 inch)	Sq.Box (3.2 inch)	Sq.Box (3.4 inch)	Sq.Box (4 inch)



**SADHU IMPLEMENTS**<sup>®</sup>  
— Transforming Indian Agricultural —

## **NOVO CULTIVATOR** CULTIVATOR



### **WORKING WIDTH**

**180 MM**

**24**

NO. OF TYNES	7	9
NO. OF ROW	3	3
SHOWAL	BORON STEEL	BORON STEEL
WORKING		
DEPTH	150 MM X 450 MM	150 MM X 450 MM
WEIGHT		
WITHOUT ROLLER	400 KG	500 KG
WEIGHT		
WITH ROLLER	500 KG	600 KG
TRACTOR INPUT	50 + HP	60 + HP

## BEAM

### MODEL+FOLDING

It Is Designed For Medium Soils.

Mainframe Is Made Out Of Tube Section Sq. Box Type



NO. OF TYNES	11	13	15
TYNE SIZE	58X20 MM	58X20 MM	58X20 MM
	65X25 MM	65X25 MM	65X25 MM
WEIGHT	325-30 KG	370-75 KG	415-20 KG
	375-80 KG	435-40 KG	490-95 KG
TRACTOR HP			
MEDIUM SOIL	45 HP	50 HP	60 HP
HARD SOIL	50 HP	55 HP	65 HP
MAIN FRAMME	72x72 MM	72x72 MM	72x72 MM
	Sq.Box (3 inch)	Sq.Box (3 inch)	Sq.Box (3 inch)

## DELUXE MODEL+FOLDING

It Is Designed For Medium Soils.  
 mainframe Is Made Out Of Tube Section Sq. Box Type



NO. OF TYNES	11	13	15
TYNE SIZE	58X20 MM 65X25 MM	58X20 MM 65X25 MM	58X20 MM 65X25 MM
WEIGHT	340-45 KG 395-400 KG	390-95 KG 455-60 KG	435-40 KG 505-10 KG
TRACTOR HP			
MEDIUM SOIL	45 HP	50 HP	60 HP
HARD SOIL	50 HP	55 HP	65 HP
MAIN FRAMME	72x72 MM Sq.Box (3 inch)	72x72 MM Sq.Box (3 inch)	72x72 MM Sq.Box (3 inch)



## **SUPER DELUXE** **MODEL+FOLDING**

It Is Designed For Medium Soils.

Mainframe Is Made Out Of Tube Section Sq. Box Type



<b>NO. OF TYNES</b>	<b>11</b>	<b>13</b>	<b>15</b>
TYNE SIZE	58X20 MM 65X25 MM	58X20 MM 65X25 MM	58X20 MM 65X25 MM
WEIGHT	365-70 KG 420-25 KG	395-400 KG 460-65 KG	450-55 KG 525-30 KG
TRACTOR HP			
MEDIUM SOIL	45 HP	50 HP	60 HP
HARD SOIL	50 HP	55 HP	65 HP
MAIN FRAMME	72x72 MM Sq.Box (3 inch)	72x72 MM Sq.Box (3 inch)	72x72 MM Sq.Box (3 inch)



**SADHU IMPLEMENTS**<sup>®</sup>  
— Transforming Indian Agricultural —

## **BASIC MODEL** CNC TYNE



## **BEAM MODEL** CNC TYNE







**SADHU IMPLEMENTS**<sup>®</sup>  
— Transforming Indian Agricultural —

## **DELUXE MODEL** CNC TYNE



## **DELUXE MODEL + FOLDING** CNC TYNE



## **CHIESEL PLOUGH BASIC MODEL**

### ANGLE TYPE FRAMME SIMPLE



NO. OF TYNES	5	6	7	9
FRAME SIZE	75X10	75X10	75X10	75X10
TYNE SIZE	65X25 MM 65X32 MM	65X25 MM 65X32 MM	65X25 MM 65X32 MM	65X25 MM 65X32 MM
<b>TRACTOR HP</b>				
MEDIUM SOIL	35 HP	45 HP	50 HP	60 HP
HRAD SOIL	40 HP	50 HP	55 HP	70 HP
<b>WEIGHT</b>	270 KG 305 KG	315 KG 350 KG	350 KG 395 KG	400 KG 450 KG

## CHIESEL PLOUGH BEAM MODEL – SQ , BOX TYPE FRAMME TUBE TYPE



NO. OF TYNES	5	6	7	9
FRAME SIZE	72X72 MM	72X72 MM	72X72 MM	72X72 MM
	Sq.Box 3inch	Sq.Box 3inch	Sq.Box 3inch	Sq.Box 3inch
TYNE SIZE	65X25 MM	65X25 MM	65X25 MM	65X25 MM
	65X32 MM	65X32 MM	65X32 MM	65X32 MM
TRACTOR HP				
MEDIUM SOIL	35 HP	45 HP	50 HP	60 HP
HRAD SOIL	40 HP	50 HP	55 HP	70 HP
WEIGHT				
	275 KG	325 KG	355 KG	400 KG
	315 KG	360 KG	400 KG	460 KG



**SADHU IMPLEMENTS**<sup>®</sup>  
— Transforming Indian Agricultural —

## CHIESEL PLOUGH SEMI DELUXE MODEL



NO. OF TYNES	5	6	7	9
FRAME SIZE	75X10	75X10	75X10	75X10
TYNE SIZE	65X25 MM 65X32 MM	65X25 MM 65X32 MM	65X25 MM 65X32 MM	65X25 MM 65X32 MM
TRACTOR HP				
MEDIUM SOIL	35 HP	45 HP	50 HP	60 HP
HRAD SOIL	40 HP	50 HP	55 HP	70 HP
WEIGHT	295 KG 320 KG	320 KG 380 KG	370 KG 420 KG	450 KG 500 KG



**SADHU IMPLEMENTS**<sup>®</sup>  
— Transforming Indian Agricultural —

## **CHIESEL PLOUGH** **DELUXE MODEL**



<b>NO. OF TYNES</b>	<b>5</b>	<b>6</b>	<b>7</b>	<b>9</b>
FRAME SIZE	72X72 MM	72X72 MM	72X72 MM	72X72 MM
	Sq.Box 3inch	Sq.Box 3inch	Sq.Box 3inch	Sq.Box 3inch
TYNE SIZE	65X25 MM	65X25 MM	65X25 MM	65X25 MM
	65X32 MM	65X32 MM	65X32 MM	65X32 MM
TRACTOR HP				
MEDIUM SOIL	35 HP	45 HP	50 HP	60 HP
HRAD SOIL	40 HP	50 HP	55 HP	70 HP
WEIGHT				
	290 KG	340 KG	375 KG	450 KG
	325 KG	360 KG	420 KG	500 KG



**SADHU IMPLEMENTS**<sup>®</sup>  
— Transforming Indian Agricultural —

## **CHIESEL PLOUGH DELUXE MODEL** **ROLLER-PLASMA CUTTING FRAMME**



<b>NO. OF TYNES</b>	<b>5</b>	<b>7</b>	<b>9</b>
FRAME SIZE	72X72 MM	72X72 MM	72X72 MM
	Sq.Box 3inch	Sq.Box 3inch	Sq.Box 3inch
TYNE SIZE	65X25 MM	65X25 MM	65X25 MM
	65X32 MM	65X32 MM	65X32 MM
TRACTOR HP			
MEDIUM SOIL	35 HP	50 HP	60 HP
HRAD SOIL	40 HP	55 HP	70 HP
WEIGHT			
	390 KG	495 KG	615 KG
	420 KG	545 KG	660 KG



## HYDRAULIC REVERSIBLE PLOUGH

Hyd. Reversible Plough Is Specially Designed For Varitey Of Uses In Agriculture For Medium Hard And Black Soil. It Is Use For Mixing Layers. It Has Safety Bolt Provides For Safety Of Tyne While Collision To The Obstacles. The Plough Is Protected Against Damage Due To Overload By An Additional Shear Bolt Device Large Interbody And Better Under Frame Clearance Avoids The Blockages Even At Close Setting For Furrows. Wheel Adjustment Is Also Available. Adjustment Of Wheel Can Control The Plough In The Field



NO. OF TYNES	2x2	3x3	4x4
FRAMME SIZE	Sq.Box 100x100 MM	Sq.Box 100x100 MM	Sq.Box 100x100 MM
MOULD BOARD	8 MM (THIICKNES) 36 INCH (LENGTH)	8 MM (THIICKNES) 36 INCH (LENGTH)	8 MM (THIICKNES) 36 INCH (LENGTH)
WORKING DEPTH			
LIGHT SOIL	12-15 INCH	12-15 INCH	12-15 INCH
HARD SOIL	10-12 INCH	10-12 INCH	10-12 INCH
TRACTOR HP	50+ HP	60+ HP	75+ HP
TYNE SIZE	32 MM CUTTING	32 MM CUTTING	32 MM CUTTING
WEIGHT	450 KG	650 KG	760 KG
WORKING WIDTH	ADJUSTABLE TYNE TO TYNE DISTANCE	ADJUSTABLE TYNE TO TYNE DISTANCE	ADJUSTABLE TYNE TO TYNE DISTANCE

## **M B PLOUGH**

### **WID TRASHBOARD**

Specially Designed To Work In All Types Of Soil , For Soil Beaking, Soil Raising Soil Turnig And Mixing Parali . It Help To Keep The Land Clean Of Any Unwanted Objects



NO. OF TYNES	NUMBER	SIZE	WEIGHT
NO OF TYNES	2, 3, 4, 5	32 MM (40MM OPTIONAL)	350-550 KG
MOULD BOARD	CNC SHEET CUTTING	8 MM	
DISTANCE	TYNE TO TYNE	31 INCH	
FRAMME	SQ. PIPE	100X100 MM	
BAR (CHIESEL)	TEMPERATED BOTH SIDE SHARP ENDS	25X32 MM	
WORKING DEPT		8 TO 14 INCH	
BLADES	BORON STEEL	10 MM	
WIDTH		13 INCH	
TRACTOR		40- 60 HP+	





## **M.B PLOUGH** FOR HARD SOIL

It Is Specially Design For Hard Soil. Main Frame Made Out Wid Heavy Duty Cranks.  
It Is Design For Rocky Land Area.



**NO. OF TYNES**

**2, 3, 4, 5**

TYNE SIZE

40X75 MM

CHISEL BAR

25X32 MM

WEIGHT

170-500 KG

TRACTOR


35-60 HP



**SADHU IMPLEMENTS**<sup>®</sup>  
— Transforming Indian Agricultural —

## **SINGLE PLOUGH** FOR DEEP PLOUGHING

It Is Specially Design For Deep Ploughing In The Field Up To 18-20 Inch.  
The Primary Purpose Of Deep Ploughing Is To Turn Over The Upper Layer Of The Soil Nd Bringing Fresh Nutrients To The Surface And The Remains Of Previous Crop Nd Allowing Them To Break Down



**TYNE SIZE**

**50X75 MM**

WEIGHT

200 KG

TRACTOR

50 HP+

WORKING DEPTH

14-18 INCH



**SADHU IMPLEMENTS**<sup>®</sup>  
— Transforming Indian Agricultural —

## **FIX MODEL** DISC PLOUGH



NO. OF TYNES	SIZE	2	3	4
MAIN FRAME	ROUND PIPE	150 MM/ 6 MM (THICKNESS)	150 MM/ 6 MM (THICKNESS)	150 MM/ 8 MM (THICKNESS)
HUB PIPE	ROUND PIPE 100 MM			
BEARING IN HUB	47487/ 32308			
DISC SIZE				
BORON STEEL	712 MM			
CONTROL WHEEL DISC	482 MM			
CONTROL WHEEL				
BEARING	12305 /12649			
WEIGHT		200 KG	300 KG	380 KG
TRACTOR		55 HP	60 HP	65 HP



**SADHU IMPLEMENTS**<sup>®</sup>  
— Transforming Indian Agricultural —

## **FIX MODEL** DISC PLOUGH



NO. OF TYNES	SIZE	2	3	4
MAIN FRAME	SQ. BOX PIPE 100X100 MM 6 MM (THICKNESS)			
HUB PIPE	100 MM			
BEARING IN HUB	47487/ 32308			
DISC SIZE				
BORON STEEL	712 MM			
CONTROL WHEEL DISC	482 MM			
CENTER PIN	65 MM			
CONTROL WHEEL	12305 /12649			
BEARING		250 KG	360 KG	470 KG
WEIGHT		50 HP	60 HP	65 HP
TRACTOR				



## BEAM MODEL DISC HARROW



### DESCRIPTION

### NUMBER

### SIZE

DISC	HIGH CARBON AND BORON STEEL	600X5 MM (10 KG) 625X5 MM (12.5 KG)
NO. OF BREAIING FRAME	ACCORDING TO HUB SQ. PIPE HEAVY DUTY FRAME	33215 100X100 MM 112X112 MM
TRACTOR TYRE	35 HP /65 HP RUBBER TYRE	8 NO. RIM
GANG AXLE	ROD	40 MM SQ.
BOLT	TEMPERD	8.8/4.6 TEMP.
SPOON		225 MM (5.5 KG)

SIZE	14	16	18	20
WEIGHT	680 KG	740 KG	800 KG	850 KG



**SADHU IMPLEMENTS**<sup>®</sup>  
— Transforming Indian Agricultural —

## BEAM HYDRAULIC MODEL DISC HARROW



DESCRIPTION	NUMBER	SIZE		
DISC	HIGH CARBON & BORON STEEL	600X5 MM (10 KG) 625X5 MM (12.5 KG)		
NO. OF BREAINING FRAME	ACCORDING TO HUB	33215		
	SQ. PIPE	100X100 MM		
	HEAVY DUTY FRAME	112X112 MM		
TRACTOR	35 HP /65 HP			
HYDRAULIC PUMP SIZE	HEAVY DUTY PUMP.	50 MM (ROD)		
GANG AXLE	ROD	40 MM SQ.		
BOLT	TEMPERD	8.8/4.6 TEMP.		
TYRE	RUBBER TYRE	700X12		
SPOON		225 MM (5.5 KG)		
SIZE	14	16	18	20
WEIGHT	725 KG	780 KG	840 KG	900 KG



**SADHU IMPLEMENTS<sup>®</sup>**  
— Transforming Indian Agricultural —

## COMPACT MODEL DISC HARROW



DESCRIPTION	NUMBER				SIZE	
DISC	HIGH CARBON AND BORON STEEL				600X5 MM (10 KG)	
					625X5 MM (12.5 KG)	
NO. OF BREAIING	ACCORDING TO HUB				33215	
TYRE TYPE	IMPORTED				RIM SIZE 15.5	
FRAME	SQ. PIPE				100X100 MM	
	HEAVY DUTY FRAME				112X112 MM	
TRACTOR	35 HP /65 HP					
HYDRAULIC	HEAVY DUTY					
PUMP	(AUTO LOCK)				50 MM (ROD)	
GANG AXLE	ROD				40 MM SQ.	
BOLT	TEMPERD				8.8/4.6 TEMP.	
TYRE					10X80X12	
SPOON					225 MM (5.5 KG)	
SIZE	14	16	18	20	22	24
WEIGHT	750 KG	850 KG	950 KG	1050 KG	1150 KG	1250 KG



**SADHU IMPLEMENTS**<sup>®</sup>  
— Transforming Indian Agricultural —

## **DYNASOUR** MODEL



DESCRIPTION	NUMBER	SIZE	
DISC	HIGH CARBON AND BORON STEEL	600X5 MM (10 KG) 625X5 MM (12.5 KG)	
NO. OF BREAIING	ACCORDING TO HUB	33215	
TYRE TYPE	IMPORTED	RIM SIZE 16.5	
CHESSI	CNC PLATE CUTTING	8 MM THICKNESS	
DISC FRAMME	SQ. PIPE	75X150 MM	
TRACTOR	35 HP /65 HP		
HYDRAULIC PUMP	HEAVY DUTY (AUTO LOCK)	50 MM (ROD)	
GANG AXLE	ROD	40 MM SQ.	
BOLT	TEMPERD	8.8/4.6 TEMP	
TYRE		10.5X16	
SPOON		225 MM (5.5 KG)	
SIZE	16	18	20
WEIGHT	1100 KG	1200 KG	1300 KG





## TRENCH DISC HARROW



### DESCRIPTION

### NUMBER

### SIZE

DISC	HIGH CARBON AND BORON STEEL	600X5 MM (10 KG) 625X5 MM (12.5 KG)
NO. OF BREAIING	ACCORDING TO HUB	33215
FRAME	SQ. PIPE HEAVY DUTY FRAME	100X100 MM 112X112 MM
TRACTOR	35 HP /60 HP	
GANG AXLE	ROD	40 MM SQ.
BOLT	TEMPERD	8.8/4.6 TEMP
SPOON		225 MM (5.5 KG)

SIZE	14	16	18	20
WEIGHT	600 KG	650 KG	700 KG	750 KG



**SADHU IMPLEMENTS**<sup>®</sup>  
— Transforming Indian Agricultural —

## **MOUNTED DISC HARROW**



DESCRIPTION		NUMBER		SIZE	
DISC		HIGH CARBON AND BORON STEEL		600X5 MM (10 KG) 625X5 MM (12.5 KG)	
NO. OF BREAINING		ACCORDING TO HUB		33215	
FRAME		SQ. PIPE HEAVY DUTY FRAME		100X100 MM 112X112 MM	
TRACTOR		35 HP /65 HP			
GANG AXLE		ROD		40 MM SQ.	
BOLT		TEMPERD		8.8/4.6 TEMP	
SPOON				225 MM (5.5 KG)	
SIZE	14	16	18	20	
WEIGHT	525 KG	600 KG	650 KG	700 KG	



**SADHU IMPLEMENTS**<sup>®</sup>  
— Transforming Indian Agricultural —

## **HYDRAULIC DISC HARROW (CENTER WHEEL)**



### **DESCRIPTION**

### **NUMBER**

### **SIZE**

NO OF DISC

20,22,24,26,28,30,32,34,36

DISC SIZE

HIGH CARBON AND  
BORON STEEL

625X5 MM (12.5 KG)

NO. OF BREAIING  
SPOON

ACCORDING TO HUB

33215 (19 KG HUB)

TYRE TYPE

MRL

RIM SIZE 31X15.5X15

CHEESI/FRAME

CNC PLASAMA  
CUTTING

125X150X8 MM

DISC FRAME

CNC CUTTING  
SHEET (THICKNESS)

175X175X12 MM

TRACTOR WEIGHT

55HP/90HP

HYDRAULIC PUMP

HEAVY DUTY

50 MM (ROD)

BOLT

TEMPERD

8.8 TEMP

GANG AXLE

ROD

40 MM SQ.



**SADHU IMPLEMENTS**<sup>®</sup>  
— Transforming Indian Agricultural —

## **HYDRAULIC FOLDABLE DISC HARROW (CENTER WHEEL)**



### **DESCRIPTION**

### **NUMBER**

### **SIZE**

NO OF DISC	28,30,32,34,36,38,40,44-60 40 (40+ON DEMAND)	
DISC SIZE	HIGH CARBON AND BORON STEEL	625X5 MM (12.5 KG)
NO. OF BREAING SPOON	ACCORDING TO HUB	33215 (19 KG HUB) 225 MM (5.5 KG)
TYRE TYPE	MRL	RIM SIZE 31X15.5X15
CHEESI/FRAME	CNC PLASAMA CUTTING	125X150X8 MM
DISC FRAME	CNC CUTTING SHEET (THICKNESS)	175X175X12 MM
TRACTOR WEIGHT	55HP/90HP	
HYDRAULIC PUMP	HEAVY DUTY (AUTO LOCK)	50 MM (ROD)
BOLT	TEMPERD	8.8 TEMP



**SADHU IMPLEMENTS**<sup>™</sup>  
— Transforming Indian Agricultural —

## **SPEED DISC HARROW**



DESCRIPTION		QTY	SIZE
9X9 SPEED DISC HARROW		1	7 FOOT
DISC		18	625X5 MM
NO. OF HUB		18	FORGIN
BEARING		18	3309
3 POINT (HITCH & ATTACH)	CNC PLAZAMA SHEET CUTTING		12 MM
DISC FRAME	SQ. TUBE		80X80X6 MM
RUBBER		72	40MM ROUND
TRACTOR		HP	
HYDRAULIC JECK	AUTOLOCK SYSTEM DUTY		50 MM ROD
BACK ROLLER			375X6 MM ROUND
NUTS BOULT	HIGH TEMPERTED		8.8 GRADE



## **PADDY DISC HARROW** **FOR PADDY**

It Is Specially Design For Hard Soil. Main Frame Made Out Wid Heavy Duty Cranks.  
It Is Design For Rocky Land Area.




DESCRIPTION	NUMBER	SIZE
DISC	20 INCH	6.5 Kg.
HUB	ACCORDING TO BEARING	
BEARING	6014 2RS	
DISC FRAME	80X80	
DISC SHAFT	65 MM ROUND PIPE	
SPOON	7 INCH	3 Kg.
HYDRAULIC JACK	38 MM	



**SADHU IMPLEMENTS**<sup>®</sup>  
— Transforming Indian Agricultural —

## **SUBSOILER SINGLE FRAME MODEL**



### **MODEL**

NO. OF TYNE	1
FRAMME SIZE	125X125 MM SQ. BOX (5 INCH)
TYNE SIZE	32 MM PLAZMA CUTTING
WEIGHT	110 KG
WORKING DEPTH	20-25 INCH
TRACTOR HP	45 HP



**SADHU IMPLEMENTS**<sup>®</sup>  
— Transforming Indian Agricultural —

## **SUBSOILER DOUBLE** FRAME MODEL



### **NO. OF TYNES**

**1**

**2**

**3**

**5**

TYNE SIZE

32 MM

32 MM

32 MM

32 MM

FRAME SIZE

125X125 MM

125X125 MM

125X125 MM

125X125 MM

SQ. BOX 5 INCH

SQ. BOX 5 INCH

SQ. BOX 5 INCH

SQ. BOX 5 INCH

WEIGHT

160 KG

210 KG

260 KG

425 KG

WORKING

DEPTH

20-25 INCH

20-25 INCH

20-25 INCH

20-25 INCH

TRACTOR HP

45 HP

50 HP

60 HP

75 HP






**SADHU IMPLEMENTS**<sup>®</sup>  
— Transforming Indian Agricultural —

## **SUBSOILER MONSTOR**

### FRAME MODEL EXTRA HEAVY DUTY



#### **NO. OF TYNES**

**1**

**2**

**3**

**5**

TYNE SIZE

40 MM

40 MM

40 MM

40 MM

FRAME SIZE

100X100 MM

100X100 MM

100X100 MM

100X100 MM

SQ. BOX 4 INCH

SQ. BOX 5 INCH

SQ. BOX 5 INCH

SQ. BOX 5 INCH

TYNE TO TYNE

ADJUSTABLE

ADJUSTABLE

ADJUSTABLE

ADJUSTABLE

WEIGHT

325 KG

WORKING

DEPTH

24-36 INCH

24-36 INCH

24-36 INCH

24-36 INCH

TRACTOR HP

57-60 HP



## DISC RIDGER

### LIGHT /HEAVY DUTY MODEL

It Has Heavy Duty Box Type Frame .high Quality Boron Steel Discs. Available In 2 Bottom To Make One Ridge. Size Anddepth Of Ridge Can Be Adjustable System It Helps In Producing The Ridges With Maximum Width Of 1000 Mm . The Disc Hubs Are Of Special Design Which Protects The Bearing From Water And Can Be Easily Operated In Each And Every Type Of Soil.



#### LIGHT DUTY MODEL


#### HEAVY DUTY MODEL

DISC SIZE	26 INCH	DISC SIZE	26 INCH
BEARING NO.	535	BEARING NO.	535
FRAMME	100X100 MM (4 INCH)	FRAMME	132X132 MM (5 INCH)
POODA	SINGLE	POODA	DOUBLE
WEIGHT	150 KG	WEIGHT	200 KG



**SADHU IMPLEMENTS**<sup>®</sup>  
— Transforming Indian Agricultural —

## **DISC RIDGER 6 DISC** TYPE DISC RIDGER



**NO. OF DISC**

**6**

BERING NO.

535

FRAMME SIZE

100X100 MM SQ. (4 INCH)

WEIGHT

275 KG

DISE SIZE

26-22-20



**SADHU IMPLEMENTS**<sup>®</sup>  
— Transforming Indian Agricultural —

## **SINGLE HITCH** LAND LEVELLER

Its Is Basic Land Leveller. It Can Use From Both Side Fornt Nd Back. It Is Double Lift Land Leveller



## **DOUBLE HITCH** LAND LEVELLER

Its Is Basic Land Leveller. It Can Use From Both Side Fornt Nd Back. It Is Double Lift Land Leveller





## **MULTI LAND LEVELLER 360 ANGLE**

Specially Designed For Making Your Land Level. U Can Use It In Any Dircation .  
360 Dgree.multi Purpose Uses



### **DESCRIPTION**

### **SIZE**

LENGTH	8.2 FIT
BLADE	125X12 MM
BEARING	THURSTE BEARING
SHEET	WHITE SHEET 5 MM
FRAMME	CNC PLASMA CUTTING 8 MM
WEIGHT	260 KG

## **MINI LAND** LEVELLER WID TYRE

Mini Land Leveller Wid Tyre Very Effective And Easy To Use For Levelling The Land.  
Unique Bucket Design. Tyre Adjustment Also Available. Attach Wid Tractor Lift. Easy To Control



## **MINI LAND** HYDRAULIC LEVELLER WITH TYRE





**SADHU IMPLEMENTS™**  
— Transforming Indian Agricultural —

## **ADVANCE LAND LEVELLER (HYDRAULIC)**



## **MB PLOUGH (ADJUSTABLE MODEL)**





**SADHU IMPLEMENTS**<sup>®</sup>  
— Transforming Indian Agricultural —

## **BAND FARMER - WATT MAKER** BASIC MODEL



## **BAND FARMER - WATT MAKER** DELUXE MODEL







**SADHU IMPLEMENTS**<sup>®</sup>  
— Transforming Indian Agricultural —

## SUB SOILER TWO TYNE



## ROTAVATOR





**SADHU IMPLEMENTS**<sup>TM</sup>  
— Transforming Indian Agricultural —

## **DISC** SUGAR CANE



## **CULTIVATOR** SHOCKER MODEL





**SADHU IMPLEMENTS**<sup>®</sup>  
— Transforming Indian Agricultural —

# 50 DISC HYDRAULIC HARROW

## INDIA'S BIGGEST



## CERTIFIED



DISC HARROW  
TESTED



MB PLOUGH  
TESTED



ISO  
CERTIFIED



**SADHU IMPLEMENTS<sup>®</sup>**  
— Transforming Indian Agricultural —



ISO 9001:2015 Certified

**SADHU SINGH KRISHI UDHYOG**

Dabwali Road, Sangaria, Distt. Hanumangarh (Raj.)

**+91 93521-30919, +91 75683-89566, +91 98286-37518**

[www.sadhuimplements.com](http://www.sadhuimplements.com)

E-mail: [sadhuagriimplements@gmail.com](mailto:sadhuagriimplements@gmail.com)